## Simulating Plasma Flows In Tokamaks

# J.D. Callen, in consultation with C.C. Hegna, C.R. Sovinec University of Wisconsin, Madison, WI 53706-1609

Talk at Denver CEMM meeting, May 2, 2009

#### Theses:

- 1) Fluid moment equations for n, T and  $\vec{V}$  with neoclassical-type closure for  $\langle \vec{B} \cdot \vec{\nabla} \cdot \vec{\pi} \rangle$  provide framework for tokamak plasma transport equations.
- 2) New approach: a) starts from kinetics not Braginskii; b) solves radial, parallel, toroidal force balances; & c) uses  $E_r$  for ambipolar particle fluxes.
- 3) Next step issue for M3D and NIMROD codes is to explore dissipative parallel/poloidal flow damping effects to obtain trapped-particle effects and bootstrap current in neoclassical || Ohm's law, and poloidal ion flow.

#### Outline:

Motivation and multi-stage strategy

Faster time scale constraint from ion radial force balance

Simulating  $\parallel$  viscous stress, force — for neo  $\parallel$  Ohm's law, poloidal ion flow Toroidal rotation equation (and  $E_r$ ) from condition for no radial current Net flux-surface-average density equation — and some consequences Summary

#### Motivation: Develop Xport Equations For Low Collisionality

• Tokamak plasma transport equations for modeling codes (e.g., ONETWO, TRANSP) are usually obtained from  $n, \vec{V}, T$  fluid moment equations with collisional Braginskii closures, and then ad hoc terms are added for

neoclassical effects on  $\parallel$  Ohm's law (trapped particle effects on  $\eta_{\parallel}$ , bootstrap current), fluctuation-induced transport induced by micro-turbulence, heating, current-drive and flow sources & sinks, effects of small 3D magnetic field asymmetries, etc.

- But tokamak plasmas are not in a collisional regime! And we should develop transport equations that naturally include all these other effects.
- Here, we develop<sup>1</sup> self-consistent fluid-moment-based radial transport equations that include all these effects for nearly axisymmetric single-ion-species tokamak plasmas using neoclassical-based closures instead of Braginskii's.
- The procedures (solve for flows in flux surfaces first) and net plasma transport equations are analogous to those developed for stellarator transport.

<sup>&</sup>lt;sup>1</sup>J.D. Callen, A.J. Cole, C.C. Hegna, "Toroidal flow and particle flux in tokamak plasmas," UW-CPTC 08-7, April 2009 (www.cptc.wisc.edu); Monday afternoon poster S1.00047 at upcoming Sherwood (APS) meeting.

## Multi-Stage Strategy Is Used To Determine Xport Equations

- I. Average the density, momentum and energy equations over fluctuations (average over toroidal angle  $\zeta$ ) and then flux-surface-average (FSA) them.
- II. Consider sequentially specific components of the momentum equation:
  - IIA. Radial ( $\sim \mu s$ ): Use zeroth order radial force balance enforced by comp. Alfvén waves to obtain relation between toroidal, poloidal flows & electric field  $E_r$ ,  $dp_i/dr$ .
  - IIB. Parallel ( $\sim$  ms): Use FSA parallel viscous forces to obtain the parallel neoclassical Ohm's law and ion poloidal flow from  $\parallel$  equilibrium momentum, heat flux equations.
  - IIC. Toroidal ( $\sim$  s): Require ambipolar radial particle fluxes ( $\langle \vec{J} \cdot \vec{\nabla} \rho \rangle = 0$ ) at second order to obtain FSA toroidal momentum equation, and hence toroidal rotation and  $E_r$ .

KEY POINT is to solve first for poloidal flows, then toroidal flows on longer time scale.

• III. Substitute net second order ambipolar fluxes back into FSA transport equations to obtain final comprehensive "radial" transport equations.

#### I. Average Moment Equations Over Fluctuations, Then FSA

- First, use a small gyroradius expansion to order various terms.
- Next, "ensemble ( $\zeta$ -) average" over fluctuations (overbar) & flux-surface-average (FSA,  $\langle \cdots \rangle$ ) density, energy equations  $[V' \equiv dV(\rho)/d\rho]$ :

density: 
$$\begin{aligned} \frac{\partial n_0}{\partial t} \Big|_{\vec{x}} + \frac{1}{V'} \frac{\partial}{\partial \rho} \left( V' \Gamma_0 \right) &= \langle \bar{S}_n \rangle, & \Gamma_0 \equiv \langle \left( n_0 \overline{\vec{V}}_2 + \overline{\tilde{n}}_1 \overline{\tilde{V}}_1 \right) \cdot \vec{\nabla} \rho \rangle, \end{aligned}$$
energy: 
$$\begin{aligned} \frac{3}{2} \frac{\partial p_0}{\partial t} \Big|_{\vec{x}} + \frac{1}{V'} \frac{\partial}{\partial \rho} \left[ V' \left\langle \left( \overline{\vec{q}}_2 + \frac{5}{2} \left( p_0 \vec{V}_2 + \overline{\tilde{p}}_1 \overline{\tilde{V}}_1 \right) \right) \cdot \vec{\nabla} \rho \right\rangle \right] \\ &= \langle \bar{Q}_{\Delta} \rangle - \left\langle \overline{\vec{R}}_1 \cdot \overline{\vec{V}}_1 + \overline{\tilde{R}}_1 \cdot \overline{\tilde{V}}_1 \right\rangle + \left\langle \overline{\vec{V}}_2 \cdot \vec{\nabla} p_0 + \overline{\tilde{V}}_1 \cdot \vec{\nabla} \tilde{p}_1 \right\rangle - \left\langle \overline{\vec{\pi}} : \vec{\nabla} \overline{\vec{V}}_1 \right\rangle + \langle \bar{S}_E \rangle. \end{aligned}$$

• Finally, similarly average the momentum (force balance) equation and determine its radial  $(\vec{\nabla}\rho \cdot)$  component and the FSA of its parallel  $(\vec{B}_0 \cdot)$  and toroidal angular  $(\vec{e}_{\zeta} \cdot = R \, \hat{\vec{e}}_{\zeta} \cdot)$  components (minus some terms in  $\parallel$ , t eqns):

$$\begin{aligned} & \text{radial } \mathcal{O}\{\delta^0\} \colon & m n_0 \frac{\partial \vec{V}}{\partial t} = n q (\vec{E} + \vec{V} \times \vec{B}) - \vec{\nabla} p & \stackrel{\sum_s}{\Longrightarrow} & \rho_m \frac{\partial \vec{V}}{\partial t} = \vec{J} \times \vec{B} - \vec{\nabla} P, \\ & \text{parallel } \mathcal{O}\{\delta\} \colon & m n_0 \frac{\partial \langle \vec{B}_0 \cdot \vec{\bar{V}} \rangle}{\partial t} = n_0 q \langle \vec{B}_0 \cdot \vec{\bar{E}}^A \rangle - \langle \vec{B}_0 \cdot \vec{\nabla} \cdot \stackrel{\leftarrow}{\pi} \rangle + \langle \vec{B}_0 \cdot \vec{\bar{R}} \rangle + \langle \vec{B}_0 \cdot \vec{\bar{S}}_m \rangle - m n_0 \langle \vec{B}_0 \cdot \overline{\tilde{V}} \cdot \vec{\nabla} \cdot \vec{\bar{V}} \rangle, \\ & \text{toroidal } \mathcal{O}\{\delta^2\} \colon & \frac{\partial}{\partial t} \Big|_{\vec{X}} \langle \vec{e}_\zeta \cdot m n_0 \vec{\bar{V}} \rangle = \boxed{q \Gamma_0} + q \langle \vec{e}_\zeta \cdot \overline{n} \vec{V} \times \vec{\bar{B}} \rangle - \langle \vec{e}_\zeta \cdot \vec{\nabla} \cdot \stackrel{\leftarrow}{\pi} \rangle - \langle \vec{\nabla} \cdot \overline{m} n (\vec{e}_\zeta \cdot \vec{\bar{V}}) \vec{\bar{V}} \rangle + \cdots. \end{aligned}$$

## II. Order $\delta^0$ , $\delta^1$ , $\delta^2$ Force Balance Equations Have Consequences

- $\delta^0$ : Zeroth order fluid moment equations yield ideal MHD model.
- IIA. Compressional Alfvén waves  $\perp$  to  $\vec{B}_0$  enforce  $\vec{J}_0 \times \vec{B}_0 = \vec{\nabla} P_0$  plus Ohm's law  $\vec{E}_0 + \vec{V} \times \vec{B}_0 = (\vec{J}_0 \times \vec{B}_0 \vec{\nabla} p_e)/n_e e$  yields radial force balance:

$$0 = ec{e}_
ho \cdot [n_i q_i (ec{E} + ec{V} imes ec{B}) - ec{
abla} p_i] \quad \Longrightarrow \quad \Omega_t \equiv ec{V} \cdot ec{
abla} \zeta = -\left(rac{d\Phi}{d\psi_p} + rac{1}{n_i q_i} rac{dp_i}{d\psi_p} - q \, ec{V} \cdot ec{
abla} heta
ight)$$

$$\Longrightarrow egin{aligned} V_t \simeq rac{E_r}{B_p} - rac{1}{n_i q_i} rac{dp_i}{dr} + rac{B_t}{B_p} V_p \,, \end{aligned} 
ight. ext{ relation between toroidal, pol. flows and } E_r, \, dp_i/dr.$$

- Maxwellianization of electron, ion distributions on their collision times of  $1/\nu_e, 1/\nu_i$  cause n, T to be constant over collision lengths  $\lambda_e, \lambda_i$  and hence on flux surfaces, and flows  $\vec{V}$  to become physically meaningful.
- $\delta^1$ : First order flows are on magnetic flux surfaces  $(\theta, \zeta \text{ or } \wedge, \| \text{ directions})$ :

$$egin{aligned} ar{ec{V}_1} &\equiv \underbrace{ec{e}_{ heta}(ar{ec{V}}\cdot ar{
abla} heta)}_{ ext{poloidal}} + \underbrace{ec{e}_{\zeta}(ar{ec{V}}\cdot ar{
abla} \zeta)}_{ ext{parallel}} = \underbrace{ec{V}_{\parallel} ec{B}_0/B_0}_{ ext{parallel}} + \underbrace{ec{ec{V}_{\wedge}}}_{ ext{cross}}, \quad ar{ec{V}_{s \wedge}} \equiv \underbrace{\dfrac{ec{B}_0 imes ar{
abla} \psi_p}{B_0^2} \left( \dfrac{d\Phi_0}{d\psi_p} + \dfrac{1}{n_{s0}q_s} \dfrac{dp_{s0}}{d\psi_p} 
ight)}_{ec{E} imes ec{B} ext{ and diamagnetic}}. \end{aligned}$$

•  $\delta^2$ : Radial flows  $\perp$  to flux surfaces are second order:  $\vec{V}_2 \cdot \vec{\nabla} \psi_p \neq 0$  — to calculate, need to determine flows in surface first, as in stellarators.

#### IIB. Electron Parallel Force Balance Yields || Ohm's Law

• Flux surface average of  $\parallel$  component of fluctuation-averaged momentum equation yields first order parallel force balances  $(\vec{B} = \vec{B}_0, \langle \bar{S}_n \rangle = 0 \text{ here})$ :

$$m_s n_{s0} rac{\partial \langle Bar{V}_{s\parallel}
angle}{\partial t} = n_{s0} q_s \langle ec{B}\cdotar{ec{E}}^A
angle - \langle ec{B}\cdotar{
abla}\cdotar{ec{\pi}}_s
angle + \langle ec{B}\cdotar{ec{R}}_s
angle + \langle ec{B}\cdotar{ec{S}}_m
angle - m_s n_{s0} \langle ec{B}\cdotar{ec{V}}\cdotar{ec{V}}\cdotar{ec{V}}
angle + n_{s0} q_s \langle ec{B}\cdotar{ec{V}}_\wedge imesar{ec{E}}_\perp
angle 
angle.$$

- For times  $t > 1/\nu_e \sim 10 \,\mu\text{s}$ , equilibrium electron  $\parallel$  force balance becomes  $0 = -n_e e \langle \vec{B} \cdot \vec{E}^A \rangle \langle \vec{B} \cdot \vec{\nabla} \cdot \stackrel{\leftrightarrow}{\pi}_e \rangle + \langle \vec{B} \cdot \vec{R}_e \rangle + \langle \vec{B} \cdot \vec{S}_{em} \rangle m_e n_{e0} \langle \vec{B} \cdot \overline{\tilde{\vec{V}}_e} \cdot \nabla \tilde{\vec{V}_e} \rangle n_{e0} e \langle \vec{B} \cdot \overline{\tilde{\vec{V}}_e} \times \tilde{\vec{B}_\perp} \rangle.$
- Using the collisional friction relation  $\vec{B}_0 \cdot \vec{R}_e = -\vec{B}_0 \cdot \vec{R}_i \simeq n_{e0} \, e \, B_0 J_{\parallel}/\sigma_{\parallel}$ , this equation yields the neoclassical parallel Ohm's law:

$$\langle B_0 \, J_\parallel 
angle \ = \underbrace{\sigma_\parallel \langle ec{B}_0 \cdot ec{ar{E}}^A 
angle}_{ ext{ohmic current}} + \underbrace{(\sigma_\parallel / n_{e0} e) \langle ec{B}_0 \cdot ec{
abla} \cdot ec{\pi}_{e\parallel} 
angle}_{ ext{current}} + \underbrace{\langle ec{B}_0 \cdot ec{J}_{ ext{CD}} 
angle}_{ ext{dyn}} + \underbrace{\langle ec{B}_0 \cdot ec{J}_{ ext{dyn}} 
angle}_{ ext{dynamo}}.$$

• Parallel currents are driven by || electron mom. sources and fluctuations:

$$\langle ec{B}_0 \cdot ec{J}_{ ext{CD}} 
angle \equiv - (\sigma_{\parallel}/n_{e0}e) \langle ec{B}_0 \cdot \left( ar{ec{S}}_{em} - m_e ar{ec{V}_e} ar{S}_{en} \right) 
angle \quad - \quad ext{non-inductive current drive}, \ \langle ec{B}_0 \cdot ec{J}_{ ext{dyn}} 
angle = \underbrace{(m_e \sigma_{\parallel}/e) \langle ec{B}_0 \cdot \left( ar{ec{V}_e} \cdot ar{ec{V}_e} + ar{ec{V}} \cdot ar{ec{\pi}}_{e \wedge} \right) 
angle}_{\parallel ext{Reynolds stress}} + \underbrace{\sigma_{\parallel} \langle ec{B}_0 \cdot ar{ec{V}_e} \times ar{ec{B}_{\perp}} 
angle}_{\text{Maxwell stress}} \quad - \quad \text{fluctuation-driven}.$$

#### IIB. Poloidal Flow Is Obtained From Plasma || Force Balance

ullet Summing the parallel force balances over species yields (for  $\bar{S}_n=0$ )

$$m_i n_{i0} rac{\partial \langle B_0 V_{i\parallel} 
angle}{\partial t} \simeq - \langle ec{B}_0 \cdot ec{
abla} \cdot ec{ec{\pi}}_i 
angle - m_i n_0 \langle ec{B}_0 \cdot ec{ ilde{V}_i} \cdot ec{ ilde{V}_i} 
angle + \langle ec{B}_0 \cdot ec{ ilde{J}_{\wedge}} ilde{ ilde{E}_{\perp}} 
angle + \langle ec{B}_0 \cdot \sum_s ec{ar{S}}_{sm} 
angle.$$

• The poloidal flow is determined mainly from parallel ion viscous force:

$$\langle ec{B} \cdot ec{
abla} \cdot ec{\pi}_{i\parallel} 
angle \simeq m_i n_{i0} \left[ \mu_{i00} U_{i heta} + \mu_{i01} rac{-2}{5n_i T_i} Q_{i heta} + \cdots 
ight] \langle B^2 
angle, \hspace{0.5cm} \mu_{i00}, \mu_{i01} \sim \sqrt{\epsilon} \, 
u_i.$$

• For  $t > 1/\nu_i \sim 1$  ms, poloidal flow is usually obtained from  $\langle \vec{B} \cdot \vec{\nabla} \cdot \vec{\pi}_{i||} \rangle \simeq 0$ :

$$U^0_{i heta}(\psi_p) \equiv rac{ec{V}\cdotec{
abla} heta}{ec{B}\cdotec{
abla} heta} \simeq -rac{\mu_{i01}}{\mu_{i00}}rac{-2}{5n_iT_i}Q_{i heta} \simeq rac{c_p\,I}{q_i\langle B^2
angle}rac{dT_{i0}}{d\psi_p} \quad\Longrightarrow\quad iggl[V_p\simeqrac{1.17}{q_iB}rac{dT_{i0}}{dr}+\mathcal{O}\{\delta^2\}.iggl]$$

• Including all the drives in the parallel plasma force balance above yields

$$egin{aligned} U_{i heta}(\psi_p) &\simeq \underbrace{U^0_{i heta}(\psi_p)}_{ ext{neoclassical}} - & \underbrace{rac{\langle ec{B}_0 \cdot \overline{(ec{ ilde{V}_i} \cdot ec{
abla} ec{ ilde{V}_i} + ec{
abla} \cdot ec{ec{ ilde{V}_i} \cdot ec{\pi}_{i\wedge})}_{ ext{Hoo}\langle B_0^2 
angle} &+ \underbrace{rac{\langle ec{B}_0 \cdot \overline{ec{J}_{\wedge}^2} ilde{eta_{\perp}} 
angle + \langle ec{B}_0 \cdot \sum_s ec{S}_{sm} 
angle}_{ ext{m}_i n_{i0} \mu_{i00} \langle B_0^2 
angle} & \cdot \\ & & \underbrace{m_i n_{i0} \mu_{i00} \langle B_0^2 
angle}_{ ext{Noolds stress}} & \cdot \end{aligned}_{ ext{m}}.$$

• Having determined the poloidal flow, the toroidal flow is  $(\Omega_{*p} \equiv I U_{i\theta}/R^2)$ :

$$\Omega_t \equiv ec{V} \cdot ec{
abla} \zeta = -\left(rac{d\Phi}{d\psi_p} + rac{1}{n_i q_i} rac{dp_i}{d\psi_p}
ight) + \Omega_{*p} \;\; \Longrightarrow \; \left[V_t \simeq rac{E_r}{B_p} - rac{1}{n_i q_i B_p} rac{dp_i}{dr} + rac{1.17}{q_i B_p} rac{dT_i}{dr} \,. 
ight]$$

#### How Can We Add These | Flow Damping Effects To Codes?

• Braginskii viscous force due to CGL form for parallel stresses is

$$ec{\pi}_{\parallel} \equiv \pi_{\parallel} \left(rac{ec{B}ec{B}}{B^2} - rac{ec{\mathsf{I}}}{3}
ight), \hspace{0.5cm} \pi_{\parallel} \equiv -rac{3}{2}\,\eta_0 \, rac{ec{B}\cdot \overset{\leftrightarrow}{\mathsf{W}}\cdot ec{B}}{B^2}, \hspace{0.5cm} \overset{\leftrightarrow}{\mathsf{W}} \equiv ec{
abla}ec{V} + (ec{
abla}ec{V})^{\mathsf{T}} - rac{2}{3} \overset{\leftrightarrow}{\mathsf{I}} (ec{
abla}\cdot ec{V}).$$

• Parallel component of parallel rate of strain has a couple of forms:

- For  $\vec{\nabla} \cdot \vec{B} = 0$ ,  $\vec{\nabla} \cdot \vec{V} = 0$  and  $\vec{V}_{\perp} = (1/B^2)\vec{B} \times \vec{\nabla} f$ , the last form yields  $\pi_{\parallel} = -3\eta_0 (\vec{V} \cdot \vec{\nabla} \ln B) + \Delta \pi_{\parallel}$ , where  $\Delta \pi_{\parallel} \equiv -(3\eta_0/B^3)(\vec{B} \cdot \vec{\nabla} f)[\vec{B} \cdot \vec{\nabla} \times (\vec{B}/B)]$  is small.
- Viscous force for the Braginskii viscous stress is  $(\vec{\kappa}$  is curvature vector)

$$egin{aligned} ec{
abla} \cdot \overleftrightarrow{\pi}_{\parallel} &= \pi_{\parallel} \left[ ec{\kappa} - ec{B} (ec{B} \cdot ec{
abla} \ln B) / B^2 
ight] + (1/B^2) ec{B} (ec{B} \cdot ec{
abla}) \pi_{\parallel} - (1/3) ec{
abla} \pi_{\parallel} \ &\Longrightarrow \quad ec{B} \cdot ec{
abla} \cdot \overleftrightarrow{\pi}_{\parallel} &= -\pi_{\parallel} \left( ec{B} \cdot ec{
abla} \ln B 
ight) + (2/3) (ec{B} \cdot ec{
abla}) \pi_{\parallel}. \end{aligned}$$

• FSA of this neglecting  $\Delta \pi_{\parallel}$  and using  $\vec{V} \cdot \vec{\nabla} \ln B = (\vec{B} \cdot \vec{\nabla} \ln B) U_{\theta}(\psi_p)$  is

$$\overline{\left|\langle ec{B}\cdotec{
abla}\cdotec{\pi}_{\parallel}
ight
angle}=3\eta_{0}\,\langle (ec{B}\cdotec{
abla}\ln B)^{2}
angle U_{ heta}, \ ext{with}\ U_{ heta}(\psi)\equiv rac{ec{V}\cdotec{
abla} heta}{ec{B}\cdotec{
abla} heta} ext{ from }0=ec{
abla}\cdotec{V}=(ec{B}\cdotec{
abla} heta)rac{\partial}{\partial heta}igg(rac{ec{V}\cdotec{
abla} heta}{ec{B}\cdotec{
abla} heta}igg).$$

## Adding Parallel Flow Damping Effects To Codes (continued)

• The neolassical parallel viscous force is given by the same form:

$$\langle ec{B} \cdot \vec{
abla} \cdot \vec{\pi}_{\parallel} 
angle = mn\mu \langle B^2 
angle U_{ heta}, ext{ which relates to Braginskii via } \mu \equiv 3\eta_0 \, rac{\langle (ec{B} \cdot \vec{
abla} \ln B)^2 
angle}{mn \langle B^2 
angle}.$$

• The neoclassical poloidal flow damping frequency  $\mu$  for electrons is

$$\mu_e \simeq rac{2.3\sqrt{\epsilon}\,
u_e}{(1+
u_{*e}^{1/2}+
u_{*e})(1+\epsilon^{3/2}
u_{*e})}\,, \quad ext{for collisionality parameter } 
u_{*e} \equiv rac{
u_e}{\epsilon^{3/2}\omega_{te}} = rac{Rq}{\epsilon^{3/2}\lambda_e}.$$

- $\implies$  banana regime for  $\nu_{*e} \ll 1$ , plateau for  $1 \ll \nu_{*e} \ll \epsilon^{-3/2}$ , Braginskii for  $\nu_{*e} \gg \epsilon^{-3/2}$ .
- PROPOSAL: Implement Braginskii operator with neo. viscous damping frequency  $\mu$  in M3D and NIMROD<sup>2</sup>? Some issues for such a proposition:

Best form of  $\pi_{\parallel}$  to use?  $\vec{V}_e \to -\vec{J}/n_e e \sim \nabla^2 \vec{B}$  yields 4th order operator in  $\partial \vec{B}/\partial t$  eqn. Poloidal variation of viscous force for  $\nu_* \ll 1$  not properly captured — but do we care? Long parallel scale variations should still be relaxed with Braginskii coefficient  $\eta_0$ ? Heat flow offsets  $[U_{\theta} \to U_{\theta} - (c_p I/q_i \langle B^2 \rangle)(dT_{i0}/d\psi_p)]$  to damp flows to nonzero values. Need  $Z_{\rm eff}$  effects on  $\mu$  for realistic tokamak plasma situations.

• Ultimate test of procedure is via Held et al. kinetic-based approach.

<sup>&</sup>lt;sup>2</sup>C.R. Sovinec, www.cptc.wisc.edu/sovinec\_research/notes/e\_viscosity2.pdf; C.R. Sovinec et al., 2007 Sherwood Conf., Annapolis, MD.

#### IIC. Toroidal Torques From Force Balance Give Radial Flows

- A key vector identity for determining radial flows is  $(\vec{e}_{\zeta} \equiv R^2 \vec{\nabla} \zeta = R \hat{\vec{e}}_{\zeta})$  $\vec{e}_{\zeta} \cdot \vec{V} \times \vec{B}_0 = -\vec{V} \cdot \vec{e}_{\zeta} \times \vec{B}_0 = \vec{V} \cdot \vec{\nabla} \psi_p$  — toroidal component of  $\vec{V} \times \vec{B}_0$  gives radial flow.
- Thus, taking toroidal angular  $(\vec{e}_{\zeta} \cdot)$  component of species force balance and averaging over fluctuations and a flux surface yields particle flux:

$$\begin{split} &\langle n_0 \vec{\vec{V}}_2 \cdot \vec{\nabla} \psi_p \rangle + \langle \overline{\tilde{n}_1 \tilde{\vec{V}}_1} \cdot \vec{\nabla} \psi_p \rangle \qquad \text{average plus fluctuation-induced radial particle flux,} \\ &= \frac{1}{q} \left[ - \langle \vec{e}_\zeta \cdot \bar{\vec{R}} \rangle + \langle \vec{e}_\zeta \cdot \vec{\nabla} \cdot \dot{\vec{\tau}} \rangle \right] - n_0 \langle \vec{e}_\zeta \cdot \bar{\vec{E}}^A \rangle \qquad \text{collision-induced particle fluxes } \Gamma_\nu, \ \Gamma_\pi, \\ &- \langle \vec{e}_\zeta \cdot n_0 \overline{\tilde{\vec{V}}_1 \times \tilde{\vec{B}}} \rangle - \frac{1}{q} \langle \vec{e}_\zeta \cdot \bar{\vec{S}}_m \rangle + \frac{1}{q} \left( \frac{\partial}{\partial t} \Big|_{\vec{x}} \left[ m n_0 \langle \vec{e}_\zeta \cdot \bar{\vec{V}}_1 \rangle \right] + \langle \vec{\nabla} \cdot \overline{m n} (\vec{e}_\zeta \cdot \tilde{\vec{V}}_1) \tilde{\vec{V}}_1 \rangle \right), \ \text{fluct., inertia.} \end{split}$$

ullet This equation must also be transformed from  $ec{x}$  to  $\psi_p$  coordinates using

$$\langle ec{e}_{\zeta} \cdot \mathcal{D}\{mn_0 ar{ec{V_1}}\} 
angle \simeq - \dot{
ho}_{\psi_p} rac{\partial}{\partial 
ho} [mn_0 \langle ec{e}_{\zeta} \cdot ar{ec{V_1}} 
angle] + \langle ec{
abla} \cdot [mn_0 (ec{e}_{\zeta} \cdot ar{ec{V_1}}) ec{u}_G] 
angle + rac{1}{V'} rac{\partial^2}{\partial 
ho^2} [V' ar{D}_{\eta} mn_0 \langle ec{e}_{\zeta} \cdot ar{ec{V_1}} 
angle].$$

ullet Using  $ec{e}_{\zeta} \equiv R^2 ec{
abla} \zeta = I ec{B}_0 / B_0^2 - ec{B}_0 imes ec{
abla} \psi_p / B_0^2$  and  $ar{ec{R}}_e \simeq n_{e0} e(ec{J}_{\parallel} / \sigma_{\parallel} + ec{J}_{\wedge} / \sigma_{\perp})$ :

$$rac{1}{q_s}raket{ar{ec{e}_\zeta\cdotar{ec{R}}_s}}=rac{I}{q_s}igg\langlerac{ec{B}_0\cdotar{ec{R}}_s}{B_0^2}igg
angle-rac{1}{q_s}igg\langlerac{ec{B}_0 imesar{
abla}\psi_p}{B_0^2}\cdotar{ec{R}}_sigg
angle=-rac{n_{e0}I}{\sigma_\parallel}igg\langlerac{J_\parallel B_0}{B_0^2}igg
angle+rac{n_{e0}}{\sigma_\perp}igg\langlerac{ec{|
abla}\psi_pert^2}{B_0^2}igg
angle}rac{dP_0}{d\psi_p}.$$

#### Particle Flux Has Many Contributions I: 7 Ambipolar

• The radial particle flux can be written in terms of its various components:

$$\Gamma \equiv \langle \vec{\Gamma} \cdot \vec{\nabla} \rho \rangle \equiv \langle n_{s0} (\vec{\bar{V}}_2 - \vec{u}_G) \cdot \vec{\nabla} \rho \rangle + \langle \tilde{n}_1 \tilde{\bar{V}}_1 \cdot \vec{\nabla} \rho \rangle - (\partial/\partial \rho) [V' \bar{D}_{\eta} \, n_{s0}] \equiv \Gamma_{\nu}^a + \Gamma^{na} + \Gamma_{\rm pc}^a$$

$$= \underbrace{\Gamma_{\rm cl} + \Gamma_{\rm PS} + \Gamma_{\rm bp} + \Gamma_{\rm pc} + \Gamma_{\rm CD} + \Gamma_{\rm dyn} + \Gamma_{\rm E^A}}_{\Gamma_{\nu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu} + \Gamma_{\mu} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a + \Gamma_{\mu}^a + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \Gamma_{\mu}^a}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{\mu}^a + \Gamma_{\mu}^a} + \underbrace{\Gamma_{\mu}^{\rm NA} + \Gamma_{\mu}}_{\Gamma_{$$

• Ambipolar Fluxes<sup>3</sup>  $(\psi_p' \equiv d\psi_p/d\rho \simeq B_p R a)$ :

$$\begin{split} &\Gamma_{\rm cl} = \left\langle \frac{\vec{B}_0 \times \vec{\nabla} \rho}{B_0^2} \cdot \frac{\vec{\bar{R}}_{s\perp}}{q_s} \right\rangle = -\frac{n_{e0}}{\sigma_\perp} \left\langle \frac{|\vec{\nabla} \rho|^2}{B_0^2} \right\rangle \frac{dP_0}{d\rho}, \qquad D_{\rm cl} \simeq \frac{T_e + T_i}{\sigma_\perp \langle B_0^2 \rangle} \simeq \nu_e \varrho_e^2, \quad \text{classical}, \\ &\Gamma_{\rm PS} = -\frac{n_{e0} I^2}{\sigma_\parallel \psi_p'^2} \left\langle \frac{1}{B_0^2} \left( 1 - \frac{B_0^2}{\langle B_0^2 \rangle} \right)^2 \right\rangle \frac{dP_0}{d\rho}, \quad D_{\rm PS} \simeq \frac{2\sigma_\perp}{\sigma_\parallel} q^2 D_{\rm cl} \sim q^2 D_{\rm cl}, \quad \text{Pfirsch-Schlüter}, \\ &\Gamma_{\rm bp} = \frac{I}{e\psi_p' \langle B_0^2 \rangle} \left\langle \vec{B}_0 \cdot \vec{\nabla} \cdot \dot{\vec{\pi}}_{e\parallel} \right\rangle, \qquad D_{\rm bp} \simeq \mu_e \varrho_{ep}^2 \sim \frac{q^2}{\epsilon^{3/2}} D_{\rm cl}, \quad \text{banana-plateau}, \\ &\Gamma_{\rm pc} = -\left( \bar{D}_\eta \frac{dn_{e0}}{d\rho} + n_{e0} V_{\rm pc} \right), \quad V_{\rm pc} \equiv \frac{1}{V'} \frac{\partial}{\partial \rho} (V' \bar{D}_\eta), \quad D_\eta \equiv \frac{\eta_\parallel^{\rm nc}}{\mu_0} \sim \frac{D_{\rm cl}}{\beta_e}, \quad \text{paleoclassical}, \\ &\Gamma_{\rm CD} + \Gamma_{\rm dyn} = [(n_{e0} I)/(\sigma_\parallel \psi_p' \langle B_0^2 \rangle)] \langle \vec{B}_0 \cdot (\vec{J}_{\rm CD} + \vec{J}_{\rm dyn}) \rangle, \quad \text{current drive, dynamo effects}, \\ &\Gamma_{\rm E^A} = -n_{e0} \langle \vec{e}_\zeta \cdot \bar{\vec{E}}^A \rangle (1 - I^2 \langle 1/R^2 \rangle / \langle B_0^2 \rangle) / \psi_p', \qquad \bar{\vec{E}}^A \times \vec{B}_p / B_0^2 \text{ radial pinch.} \end{split}$$

<sup>&</sup>lt;sup>3</sup>K.C. Shaing, S.P. Hirshman, and J.D. Callen, Phys. Fluids **29**, 521 (1986); K.C. Shaing, Phys. Fluids **29**, 2231 (1986).

#### Particle Flux Has Many Contributions II: 8 Non-ambipolar

• Non-ambipolar fluxes ( $\Gamma$ 's here are multiplied by  $\psi_p' \equiv d\psi_p/d\rho \simeq B_p R a$ ):

$$\begin{split} &\Gamma^{\mathrm{NA}}_{\pi\parallel} = \frac{1}{q_s} \langle \vec{e}_\zeta \cdot \vec{\nabla} \cdot \vec{\tilde{\pi}}_{s\parallel}^{\mathrm{NA}} \rangle \simeq \frac{m_i n_{i0} \mu_{it}}{q_i} \bigg( \frac{\tilde{B}_{\mathrm{eff}}}{B_0} \bigg)^2 (\langle R^2 \Omega_t \rangle - \langle R^2 \Omega_* \rangle), \ \ \Omega_* \simeq \frac{c_p + c_t}{q_i} \ \frac{dT_i}{d\psi_p}, \ \mathrm{NA} \ \| \ \mathrm{visc.}, \\ &\Gamma_{\pi\perp} = \frac{1}{q_s} \langle \vec{e}_\zeta \cdot \vec{\nabla} \cdot \vec{\tilde{\pi}}_{s\perp} \rangle \simeq \frac{1}{q_i} \left\langle \vec{e}_\zeta \cdot \vec{\nabla} \cdot (\vec{\tilde{\pi}}_{i\perp}^{\mathrm{cl}} + \vec{\tilde{\pi}}_{i\perp}^{\mathrm{nc}} + \vec{\tilde{\pi}}_{i\perp}^{\mathrm{pc}}) \right\rangle \sim -\chi_t \nabla^2 \Omega_t, \ \chi_t \sim (1 + q^2) \nu_i \varrho_i^2 + D_{\eta}, \\ &\Gamma_{\mathrm{pol}} = \frac{1}{q_s} \frac{\partial}{\partial t} \bigg|_{\psi_p} m_s n_{s0} \langle \vec{e}_\zeta \cdot \vec{\tilde{V}}_s \rangle \simeq \frac{1}{q_i} \frac{\partial}{\partial t} \bigg|_{\psi_p} m_i n_{i0} \langle R^2 \Omega_t \rangle, \quad \text{ion polarization flow for } \frac{\partial \Omega_t}{\partial t} \neq 0, \\ &\Gamma_{\mathrm{Rey}} = \frac{1}{q_s V'} \frac{\partial}{\partial \rho} (V' \Pi_{s\rho\zeta}), \quad \Pi_{s\rho\zeta} \equiv m_s n_{s0} \langle (\vec{\nabla} \rho \cdot \vec{\tilde{V}}_s) (\vec{\tilde{V}}_s \cdot \vec{e}_\zeta) \rangle + \langle \vec{\nabla} \rho \cdot \vec{\tilde{\pi}}_{s\wedge} \cdot \vec{e}_\zeta \rangle, \quad \text{Reynolds stress}, \\ &\Gamma_{\mathrm{Max}} = -\langle \vec{e}_\zeta \cdot \widehat{n_1} \vec{\tilde{V}}_1 \times \vec{\tilde{B}} \rangle \simeq \frac{1}{e} \langle \vec{e}_\zeta \cdot \vec{\tilde{J}} \times \vec{\tilde{B}} \rangle = \frac{1}{e\mu_0} \langle \vec{e}_\zeta \cdot \vec{\tilde{B}} \cdot \vec{\nabla} \vec{\tilde{B}} \rangle, \qquad \text{Maxwell stress}, \\ &\Gamma_{\mathrm{JxB}} \simeq \frac{1}{e} \langle \vec{e}_\zeta \cdot \vec{\tilde{J}}_{\parallel mn} \times \vec{\tilde{B}}_{\perp mn} \rangle \simeq \delta(\rho - \rho_{mn}) \frac{c_{A\theta}}{e} \frac{\omega \ m_i n_{i0} R}{\Delta'^2 + (\omega \tau_\delta)^2} \frac{\tilde{B}_{rmn}^2}{B_0^2}, \quad \mathrm{FE\text{-induced res. layer}, \\ &\Gamma_{\psi_p} = \frac{\dot{\rho}_{\psi_p}}{q_s} \frac{\partial}{\partial \rho} (m_s n_{s0} \langle \vec{e}_\zeta \cdot \vec{\tilde{V}}_s \rangle), \qquad \qquad \psi_p \ \mathrm{transients}, \\ &\Gamma_{\mathrm{SS}} = -\frac{1}{q_s} \langle \vec{e}_\zeta \cdot \vec{S}_{sm} \rangle, \qquad \qquad \mathrm{momentum \ sources} \ (\mathrm{e.g.}, \, \mathrm{NBI}, \, \mathrm{CD}). \end{aligned}$$

# IIC. Radial Current Is Obtained By Summing Particle Fluxes Over Species And Yields Toroidal Torque Balance

• Sum radial species currents to obtain net radial plasma current:

$$\langle ec{J} \cdot ec{
abla} 
ho 
angle \equiv \, \sum_s q_s \left( \Gamma^a_{s 
u} + \Gamma^a_{
m spc} + \Gamma^n_s 
ight) \, = \, \sum_s q_s \, \Gamma^{na}_s \, \, - \, \, \, {
m sum \, \, of \, \, non\text{-}ambipolar \, currents.}$$

• Charge continuity equation on a  $\psi_p$  surface obtained by summing  $q_s$  times density equations over species is  $(\dot{\rho}_{\psi_p} = 0 \text{ and } \sum_s q_s \langle \bar{S}_{sn} \rangle = 0 \text{ for simplicity})$ 

$$\left. rac{\partial}{\partial t} \middle|_{\psi_p} (V'\langle 
ho_q 
angle) + rac{1}{V'} rac{\partial}{\partial 
ho} (V'\langle ec{J} \cdot ec{
abla} 
ho 
angle) = 0 \stackrel{\epsilon_0 ec{
abla} \cdot ec{E} = 
ho_q}{\Longrightarrow} rac{1}{V'} rac{\partial}{\partial 
ho} \left[ V'igg( \epsilon_0 rac{\partial}{\partial t} \middle|_{\psi_p} \langle ec{E} \cdot ec{
abla} 
ho 
angle + \langle ec{J} \cdot ec{
abla} 
ho 
angle 
ight] = 0.$$

- "Vacuum" term  $\partial \langle \vec{E} \cdot \vec{\nabla} \rho \rangle / \partial t$  is  $\sim c_{Ap}^2/c^2 \sim 10^{-5} \ll 1$  smaller than the neoclassical polarization flow from  $\partial \Omega_t / \partial t \sim \partial \langle \vec{E} \cdot \vec{\nabla} \rho \rangle / \partial t$  in  $\langle \vec{J} \cdot \vec{\nabla} \rho \rangle \sim q_i \Gamma_{ipol}$ ; thus, this quasineutral charge continuity equation requires  $\langle \vec{J} \cdot \vec{\nabla} \rho \rangle = 0$ .
- Setting  $\langle \vec{J} \cdot \vec{\nabla} \rho \rangle$  to zero yields comprehensive toroidal torque balance equation for the toroidal angular momentum density  $L_t \equiv m_i n_{i0} \langle R^2 \Omega_t \rangle$ :

$$\underbrace{\frac{1}{V'}\frac{\partial}{\partial t}\Big|_{\psi_p}^{(V'L_t)} \simeq -\underbrace{\langle\vec{e}_\zeta\cdot\vec{\nabla}\cdot\vec{\tilde{\pi}}_{i\parallel}\rangle}_{\text{NTV from }\tilde{B}_{\parallel}}^{-}\underbrace{\langle\vec{e}_\zeta\cdot\vec{\nabla}\cdot\vec{\tilde{\pi}}_{i\perp}\rangle}_{\text{cl, neo, paleo}}^{-}\underbrace{\frac{1}{V'}\frac{\partial}{\partial\rho}\left(V'\Pi_{i\rho\zeta}\right)}_{\text{Reynolds stress}}^{+}\underbrace{\langle\vec{e}_\zeta\cdot\overline{\tilde{J}}\times\tilde{\tilde{B}}\rangle}_{\text{res. FE, Max}}^{-}\underbrace{\dot{\rho}_{\psi_p}\frac{\partial L_t}{\partial\rho}}_{\psi_p\text{ motion}}^{+}\underbrace{\langle\vec{e}_\zeta\cdot\sum_s\bar{\tilde{S}}_{sm}\rangle}_{\text{sources}}^{-}.$$

# IIC. Toroidal Rotation Determines Radial Electric Field Required For Net Ambipolar Radial Particle Flux

• From toroidal rotation  $\langle \Omega_t \rangle \equiv L_t/(m_i n_{i0} \langle R^2 \rangle)$ , radial electric field  $E_\rho$  is:

$$oxed{E_
ho \, \equiv \, - \, |ec{
abla}
ho \, | \, rac{d\Phi_0}{d
ho} \, \simeq \, |ec{
abla}
ho \, | \, \left(\langle\Omega_t
angle\psi_p' + rac{1}{n_{i0}q_i}rac{dp_{i0}}{d
ho} - rac{c_p}{q_i}rac{dT_{i0}}{d
ho}
ight),} \, \, \, \, |ec{
abla}
ho \, | \, \, ext{varies with } heta.$$

• The resultant  $E_{\rho}$  (or  $\Omega_t$ ) causes the electron and ion non-ambipolar radial particle fluxes to become equal (i.e., ambipolar):

$$\Gamma_e^{na}(E_
ho) \,=\, Z_i \, \Gamma_i^{na}(E_
ho) \quad \Longrightarrow \quad \langle ec J \cdot ec 
abla 
ho 
angle \,=\, 0 \quad \Longrightarrow \quad \Omega_t \; ( ext{or} \; E_
ho) \; ext{equation}.$$

• Hence, net ambipolar radial particle flux is sum of  $\Gamma^a$  and  $\Gamma^{na}(E_\rho)$ , which is easiest to evaluate for electrons since  $\langle \vec{J} \cdot \vec{\nabla} \rho \rangle \simeq \Gamma_i^{na}(E_\rho) \simeq 0$  ("ion root"):

$$\Gamma_e^{
m net} \equiv \underbrace{\Gamma_{e
u}^a + \Gamma_{e
m pc}^a}_{
m intrinsically} + \underbrace{\Gamma_e^{na}(E_
ho)}_{
m non-ambipolar} = \Gamma_i^{
m net}.$$
 $\stackrel{E_
ho}{
m ambipolar}$  ambipolar

• Dominant electron contributions to  $\Gamma_e^{na}$  are usually from electron Reynolds and Maxwell stresses:  $\Gamma_e^{na}(E_\rho) \simeq \Gamma_{e\,\mathrm{Rey}}(E_\rho) + \Gamma_{e\,\mathrm{Max}}(E_\rho)$ .

#### III. Resultant Transport Equations Can Now Be Specified

• Density (assuming for simplicity the particle source  $\langle \bar{S}_n \rangle$  is ambipolar):

$$oxed{\left[rac{1}{V'}rac{\partial}{\partial t}igg|_{\psi_p}\!\!(V'n_0)\,+\,\dot{
ho}_{\psi_p}\!rac{\partial n_0}{\partial
ho}\,+\,rac{1}{V'}rac{\partial}{\partial
ho}\left[V'\,\Gamma_e^{
m net}(E_
ho)
ight]\,=\,\langlear{S}_n
angle,} \qquad n_{e0}=n_{i0}, \qquad \dot{
ho}_{\psi_p}\equiv rac{\dot{\psi}_p}{\psi_p'},$$

$$\Gamma_e^{
m net}(E_
ho) \equiv \Gamma_e^a + \Gamma_e^{na}(E_
ho) \simeq \underbrace{\Gamma_{
m bp} + \Gamma_{
m pc}}_{
m collision ext{-induced}} + \underbrace{\Gamma_{e\,{
m Rey}}(E_
ho) + \Gamma_{e\,{
m Max}}(E_
ho)}_{
m fluctuations}$$

$$\simeq \Gamma_{
m bp} - \underline{ar{D}_{\eta}} rac{\partial n_0}{\partial 
ho} - n_0 V_{
m pc} - \underbrace{rac{1}{e} rac{1}{V' \psi_p'} rac{\partial}{\partial 
ho} (V' \Pi_{e 
ho \zeta})}_{e ext{ Reynolds stress}} - \underbrace{rac{1}{\psi_p'} \langle ec{e}_{\zeta} \cdot n_{e0} \overline{\mathring{V}_e} imes \overline{\mathring{E}}_{\zeta} \rangle}_{e ext{ Maxwell stress}}.$$

- Toroidal rotation  $\langle \Omega_t \rangle \equiv L_t/(m_i n_{i0} \langle R^2 \rangle)$  (and radial electric field  $E_\rho$ ): see bottom of p 12 viewgraph for  $L_t \equiv m_i n_{i0} \langle R^2 \Omega_t \rangle$  (and preceding viewgraph for  $E_\rho$ ).
- Energy (similar contributions as density but without ambipolar constraint) equations still being worked on.

#### This Approach Is Different And Has Some Consequences

• Key differences in this new approach for plasma transport equations:

First solve for flows of electrons, ions in flux surfaces  $\rightarrow \parallel$  Ohm's law, poloidal ion flow.

Simultaneously solve transport equations for  $\Omega_t$  ( $\to E_\rho$ ) and  $\psi_p$ , as well as usual n, T.

Effects of micro-turbulence on parallel Ohm's law (p 6), poloidal ion flow (p 7), particle fluxes (p 11), mom. flux (p 11) and  $\Omega_t$  (p 12) are all included self-consistently.

Fluctuation-induced particle flux is determined from e Rey, Max stresses, not  $\langle \tilde{n} \tilde{\vec{V}} \cdot \vec{\nabla} \rho \rangle$ .

Source effects (e.g., NBI momentum input and  $\vec{J}_{\text{CD}}$ ) are included self-consistently.

Poloidal field transients  $(\dot{\psi}_p \neq 0)$  and current diffusion time scale effects are included.

Net transport equations follow naturally from extended two-fluid moment equations; hence they are consistent with M3D, NIMROD code frameworks → basis for FSP?

• Some consequences that result from this new approach are:

Radial electric field is determined self-consistently & forces ambipolar particle transport.

Paleoclassical n,  $\Omega_t$ , T diffusion and pinch effects are included naturally, important?

Poloidal flux transients ( $\dot{\psi}_p \neq 0$ ) induce radial motion of n,  $\Omega_t$ , T which could lead to: density "pump-out" due to ECH causing  $\dot{\psi}_p < 0$ ?,

 $\Omega_t$  decrease with co-current ECCD due to its momentum input and to  $\dot{\psi}_p < 0$ ?, Increased "transient transport" of  $T_e$  when  $\dot{\psi}_p \neq 0$ ?

#### Summary

- Comprehensive transport equations for n,  $\Omega_t$  have been derived:

  A systematic gyroradius expansion procedure is used.

  Fluid moment eqns. are averaged over fluctuations, then flux surface averaged (FSA).
- Radial, parallel and toroidal components of force balance are considered:  $\delta^0$ : Radial force balance leads to relation between poloidal, toroidal flows &  $\vec{E}_0$ ,  $\vec{\nabla} p_{i0}$ .  $\delta$ : Parallel viscous damping determines neoclassical  $\parallel$  Ohm's law and poloidal flow.  $\delta^2$ : Radial particle fluxes (7 ambipolar, 8 non-ambipolar) from FSA of average  $\zeta$  torques.
- M3D, NIMROD issue is how to best include parallel viscosity dissipation:

  Maybe we can just use Braginskii operator but use neoclassical viscosity coefficient.

  But this needs to be tested by comparisons with Held et al. kinetic-based procedure.
- Requiring an ambipolar radial particle flux (i.e.,  $\langle \vec{J} \cdot \vec{\nabla} \rho \rangle = 0$ ) etc. yields: Evolution equation for toroidal angular mom. density  $L_t \equiv m_i n_{i0} \langle R^2 \Omega_t \rangle \Longrightarrow \langle \Omega_t \rangle, E_\rho$ , Net radial particle flux with collisional  $(\Gamma_{\nu} + \Gamma_{\rm pc})$  and electron  $\Gamma_e^{na}(E_\rho)$  contributions, Radial motion  $(\dot{\rho}_{\psi_p} \partial/\partial \rho)$  in n,  $\Omega_t$ , T equations due to poloidal flux motion  $(\dot{\psi}_p \neq 0)$ .